


## Celestron Astromaster 130EQ-MD Motor Drive Telescope

**AUD**  
**\$649.00**

### Product Images



### Short Description

- Manual German equatorial mount with setting circles - to accurately locate and track sky objects
- Adjustable, full height steel tripod with deluxe accessory tray
- Quick and easy no-tool setup
- Accessories include a 20mm and 10mm eyepiece, a finderscope, and a motor drive
- Motor drive automatically tracks celestial objects as they appear to move across the night sky
- Download Starry Night Basic Software with a 36,000 object database, printable sky maps and enhanced images including 3D renderings of stars, exoplanets, and galaxies

## Description

---

Discover our Solar System with the Celestron AstroMaster 130EQ! You'll be ready to observe in minutes thanks to the quick and easy no-tool setup. The 130EQ provides bright, clear images of the Moon, planets, star clusters, and more for great nighttime viewing.

### Manual German Equatorial telescope

The AstroMaster mount comes with two slow motion control knobs that allow you to make fine pointing adjustments to the telescope in both Right Ascension and Declination axes, also referred to as RA and DEC.

### Accessories Included

Accessories include a 20mm and 10mm eyepiece, a finderscope, and a motor drive. The two eyepieces offer different magnifications for low and high powered views. The 20mm has a built-in erect image corrector.

**Motor Drive** -Turn your manual German equatorial mount into a tracking mount by adding the included RA motor drive to your telescope. This easy-to-install RA motor drive compensates for the Earth's rotation, so the telescope tracks a star's movement through the night sky from east to west. When the telescope mount is properly polar aligned and the RA drive is attached and running, the user need only make occasional adjustments in declination (Dec) to keep an object in the eyepiece for long periods of time. The Celestron single-axis motor drive runs on a 9V battery, so there are no cords to get in the way. The drive can be used in either the Northern or Southern Hemisphere. To change hemispheres (reverse the motor's direction), simply by flip the N/S switch on the face of the motor drive. It is also simple to change the speed of the motor. A "Speed Rate Regulator" knob is located just under the power indicator and can be turned in either direction to slow down or speed up the motor. Since solar system objects like the Moon and planets move through the sky at different rates than deep-sky objects do, this gives you the ability to match the motor's speed to the particular type of object you are observing.



## Additional Information

Specifications	<b>OPTICAL TUBE INFO:</b>	
	Optical Design:	Newtonian Reflector
	Aperture:	130mm (5.11")
	Focal Length:	650mm (25.6")
	Focal Ratio:	f/5
	Focal Length of Eyepiece 1:	20mm (.78") with built-in erect image corrector
	Magnification of Eyepiece 1:	33x
	Focal Length of Eyepiece 2:	10mm (.4") standard
	Magnification of Eyepiece 2:	65x
	Barlow Lens:	Not Included
	Finderscope:	Built-on StarPointer™ red dot finderscope
	Star Diagonal:	None
	Optical Tube:	Aluminum
	Highest Useful Magnification:	307x
	Lowest Useful Magnification:	19x
	Limiting Stellar Magnitude:	13.1
	Resolution (Rayleigh):	1.07 arc seconds
	Resolution (Dawes):	.89 arc seconds
	Light Gathering Power (Compared to human eye):	345x
	Secondary Mirror Obstruction:	44mm (1.73")
	Secondary Mirror Obstruction by Diameter:	34%
	Secondary Mirror Obstruction by Area:	11%
	Optical Coatings:	Glass mirrors coated with aluminum and SiO <sub>2</sub>
	Optical Tube Length:	552mm (21.7")
	Optical Tube Diameter:	160.5mm (6.32")
	Optical Tube Weight:	7.7 lbs (3.5 kg)
	Dovetail:	CG-3 Dovetail bar
	<b>MOUNT INFO:</b>	
	Mount Type:	CG-3 Equatorial
	Height adjustment range (includes mount and tripod):	812.8mm - 1295.4mm (32" - 51")
	Tripod Leg Diameter:	31.75mm (1.25") steel
	Accessory Tray:	Yes
	Tripod Weight:	9.3 lbs (4.24 kg)
Slew Speeds:	Manual	
Dovetail Compatibility:	CG-3 saddle plate	
Software:	Celestron Starry Night Basic Edition Software and SkyPortal App	
Total Kit Weight:	17 lbs (7.71 kg)	
Included Items:	Optical tube Tripod and mount (preassembled) 20mm eyepiece with built-in erect image corrector Standard 10mm eyepiece Red-dot finderscope Manual	
Solar Warning	<ul style="list-style-type: none"> <li>• Never look directly at the Sun with the naked eye or with an optic (unless you have the proper solar filter). Permanent and irreversible eye damage may result.</li> <li>• Never use your optic to project an image of the Sun onto any surface. Internal heat build-up can damage the optic and any accessories attached to it.</li> <li>• Never leave your optic unsupervised. Make sure an adult who is familiar with the correct operating procedures is with your optic at all times, especially when children are present.</li> </ul>	