



Sirius Optics  
Unit 1  
26 Darnick Street  
Underwood, Qld 4119

Opening Hours  
10am-5:30pm Mon-Fri  
9am-2pm Sat

Phone: 07 3423 2355  
[www.sirius-optics.com.au](http://www.sirius-optics.com.au)

## GPO Passion ED 8x32 Binoculars

**AUD**  
**\$749.00**

### Product Images



### Short Description

The PASSION™ ED 8x/10x 32mm binoculars represent the epitome of compactness and lightness, making them an excellent gateway to premium observation optics with an unmatched balance between quality and price. With a sleek, ergonomic design crafted from high-grade magnesium materials, they ensure durability and comfort.

### Description

PASSION™ ED 8x/10x 32mm binoculars are our most compact and lightweight binoculars and offer the perfect entry into the world of high quality observation optics at an unbeatable price-performance ratio.

The slim and ergonomic design has been combined with the use of high-quality materials. The entire housing is made of

magnesium. Thanks to ED lenses, multi-coatings and matched optics, they offer a wide field of view, high edge-to-edge sharpness and transmission values, as well as a shorter close focus.

Their robustness and optical performance make them unique performers in their class. You will not find a comparably equipped binocular in this price range.

## Additional Information

### Specifications

Prism type	.	Schmidt-Pechan
Magnification	.	8x
Field of view (FOV) at 1.000y	.	420
Field of view (FOV) at 1.000m	.	139
Objective diameter (mm)	Effective diameter	32
Ocular diameter (mm)	Effective diameter	18
Exit pupil diameter (mm)	Measurement of the pupillary ocular beam	4
Eye Relief (inches)	From the last optical surface	0,63
Eye Relief (mm)	From the last optical surface	16
Housing	Main body and hinge	magnesium
Close focus (feet)	Shortest focal distance	6,6
Close focus (meters)	Shortest focal distance	2
Inter pupillary distance (IPD)	Center pupil to center pupil measurement	56 – 73
Dioptric compensation range	.	-2,5/+2,5
Waterproof	Mbars / cm	100
Transmission Daylight	ISO 14490-5:2005	90%
Height (inches)	Without covers	1,7
Height (mm)	Without covers	44
Weight (ounces)	Without covers	18,3
Weight (grams)	Without covers	520
Lentgh (inches)	At outside diameter	4,6
Lentgh (mm)	At outside diameter	118
Width (inches)	Fully extended	4,6
Width (mm)	Fully extended	118