

Sirius Optics Unit 1 26 Darnick Street Underwood, Qld 4119 **Opening Hours**

10am-5:30pm Mon-Fri 9am-2pm Sat Phone: 07 3423 2355 www.sirius-optics.com.au

Leupold BX-1 Yosemite 8x30 Grey Binoculars

AUD \$279.00

Product Images







Short Description

- Armour coated
- BAK 4 prisms
- Central focus dial
- Ergonomic design
- Fully multi coated lenses
- Lead free
- Narrow interpupillary distance
- Phase coated
- Porro prism design
- Proprietary nitrogen fill process

- Twist up eyecups
- Waterproof and fogproof

Description

Small size. Huge performance. Because the BX-1 Yosemite® eyepieces adjust closer than any comparable binocular, they've introduced more kids to the outdoors than any other model. But make no mistake: BX-1 Yosemites are serious binoculars.

Comes with Pro Gear Accessories - Go Afield Shoulder Strap, binocular case, lens covers, and a lens cloth.

Featuring:

- The durable housing is shrouded in a easy-grip rubber armor coating that provides a positive grasp in all conditions
- Delivers a perfectly round exit pupil with virtually no edge distortion and a crisp, clear image.
- Large, tactile focus dial is easy to find and use, even with gloved hands, which gives you the precision focus you need to pick antlers out of the trees or hide out of the brush.
- Our ergonomic design ensures our products are slim, lightweight, and fit well in your hands no matter what size they are.
- Our fully multi-coated lens system ensures maximum brightness for clarity, contrast, and color fidelity.
- Precision ground lenses feature lead/arsenic-free environmentally friendly glass compositions. It's a small step, but one in the right direction.
- Smaller interpupillary distance settings (50mm to 70mm) give a wider range of people full use of the optics.
- Phase coated roof prisms significantly increase resolution for a sharp sight picture from edge-to-edge of the visual field.
- The Porro prism design offers the user excellent depth perception and outstanding 3D image representation.
- Made with Leupold's Proprietary nitrogen sealing process, which has become the industry standard. Rugged and absolutely waterproof.
- Features twist-up eyecups and generous eye relief for comfortable extended viewing.
- Absolute waterproof and fogproof integrity means it's ready to perform in the field, in all conditions.

Additional Information

Specifications	Weight (oz)	17.00
	Linear FOV (ft/1000 yd) - High	389.00
	Linear FOV (m/1000 m) - High	118.00
	Length (in)	4.50
	Twilight Factor High	15.40
	Length (mm)	115.00
	Angular FOV (degrees) - Low	7.40
	Eye Relief (mm) - Low	15.50
	Weight (g)	482.00
	Exit Pupil (mm) - Low	3.40
	Interpupillary Distance (mm) - Low	50.00
	Interpupillary Distance (mm) - High	70.00
	Close Focus Distance (ft)	10.00
	Close Focus Distance (m)	3.00