

Leupold BX-2 Alpine HD 8x42mm Roof Shadow Grey Binoculars

AUD
\$529.00

Product Images



Short Description

If you don't need a ton of magnification but still want to let in a little more light, the BX®-2 Alpine® HD 8x42mm is the perfect optic for the job. It delivers HD performance and enough magnification to identify animals in most scenarios, but is still compact enough to take everywhere.

Description

If you don't need a ton of magnification but still want to let in a little more light, the BX®-2 Alpine® HD 8x42mm is the perfect optic for the job. It delivers HD performance and enough magnification to identify animals in most scenarios, but is still compact enough to take everywhere.

Whether it's your first binocular or your 50th, your glass needs to give you a bright image, feel comfortable in your hands, and be able to take a beating. The BX-2 Alpine HD binocular checks all of these boxes and more. Built around Leupold's Advanced Optical System, it offers tried and true light transmission for extended glassing sessions, best in class glare reduction in harsh light, and the resolution and clarity that recreational sportsmen and sportswomen demand.

It comes with Pro Gear® accessories, too: including a GO Afield™ binocular harness, lens covers, and lens cloth. And like all Leupold® binoculars, it's fogproof, waterproof, and guaranteed to perform for life.

- High-definition, calcium-fluoride lenses ensure incredible clarity at all magnification levels.
- A built-in 1/4-20 rotatable tripod adapter port makes it easy to mount to a tripod.
- The durable housing is shrouded in a easy-grip rubber armor coating that provides a positive grasp in all conditions.
- Lightweight but tough as nails, a rugged magnesium housing protects the optic during fast-paced action.
- Features twist-up eyecups and generous eye relief for comfortable extended viewing.

Additional Information

Specifications	Finish	Shadow Gray
	Waterproof	Yes
	Light Management System	Advanced Optical System
	Guard-ion Lens Coating	No
	Length (in)	5.5
	Weight (oz)	28
	Magnification	8
	Objective Lens Diameter (mm)	42
	Linear FOV (ft@1000 yd)	394
	Angular FOV (Degrees)	7.4
	Eye Relief (mm)	15
	Exit Pupil (mm)	5.2
	Close Focus Distance (ft)	13.5
	Interpupillary Distance Max (mm)	78
	Interpupillary Distance Min (mm)	57