

Sirius Optics Unit 1 26 Darnick Street Underwood, Qld 4119 Opening Hours

10am-5:30pm Mon-Fri 9am-2pm Sat Phone: 07 3423 2355 www.sirius-optics.com.au

Meade 114mm EclipseView

AUD \$395.00

Product Images





Short Description

- Perfect for SAFELY viewing the Sun!
- Meets ISO 12312-2:2015
- CE certified to 12-16 of EN 169/1992.
- Removable white-light solar filter for use BOTH day & night!
- Parabolic Newtonian Reflector with a large 114mm (4.5") aperture for a great view of planets, nebulae, and the Sun!
- Lightweight (10.8 lbs) and compact with a removable 450mm (f/3.95) optical tube for portability
- Comes with 26mm and 9mm eyepieces for low and high magnifications
- 360° swivel mount and a simple point-and-look design for easy use

Description

The EclipseView™ 114mm allows you to set up and share the Sun gazing experience in seconds. Perfectly SAFE for solar viewing. Meets ISO 12312-2:2015 and CE certified to 12-16 of EN 169/1992. This EclipseView™ table-top telescope is the ideal "grab-and-go" telescope offering easy and portable observation for an excellent value. Even better, you can use this portable telescope for BOTH day & night! View the Moon, Planets, the Sun, and more all with one telescope! Safe and fun for everyone! Get your EclipseView™ today!

Additional Information

Eyepieces Type Modified Achromat (MA) **Experience Level** Beginner Activity Day & Night, Observing, Solar Viewing, Travel Туре Dobsonian, Reflector, Table Top **Clear Aperture** 114mm (4.5") Optical Design Newtonian Reflector **Focal Length** 450mm **Focal Ratio** f/3.95 OTA Cooling Fan No **Oversized Primary Mirror** No Mirror Lock No Viewfinder Night-time Red Dot and Day-Time Sun Finder Eyepiece(s) Two (2) MA Eyepieces (26mm & 9mm), 1.25" **Focuser Mechanism** Rack and Pinion **Dew Shield** No Permanent Periodic Error Correction (PPEC) No StarLock™ No **GPS Receiver** No True Level & North Sensors (LNT) No Time Chip No Smart Mount™ No Smart Drive™ No Astronomer Inside™ No Assembled Product Dimensions 12.25"x24" (31cm x 61cm) **Assembled Product Weight** 10.8 lbs

Specifications