



Sirius Optics  
Unit 1  
26 Darnick Street  
Underwood, Qld 4119


Opening Hours  
  
10am-5:30pm Mon-Fri  
9am-2pm Sat

Phone: 07 3423 2355  
[www.sirius-optics.com.au](http://www.sirius-optics.com.au)

## Saxon AZ-EQ6 Celestron 8 Inch EdgeHD Bundle

**AUD**  
**\$5,089.00**

### Product Images



### Short Description

Excellent set up for astro imaging, or impressive visual observing.

### Description

# Saxon AZ-EQ6 GT Pro Mount

The Saxon AZ-EQ6 GT Pro Mount provides the precision and stability needed for serious observing and astro imaging.

This AZEQ6 GT Pro mount includes a built-in illuminated polar scope for both Southern and Northern Hemisphere, a latitude adjuster with micrometer scale, an azimuth polar-alignment adjuster, aluminium setting circles, large manual slow-motion tracking controls, bubble level and steel tubular tripod legs

The **Saxon AZ-EQ6 GT Pro Mount** features and includes the following:

- A user friendly Synscan hand controller
- 2x 5.1Kg counter weight
- Wall-to-wall large accessory tray
- An extension 150mm counterweight shaft
- 2" stainless steel tripod legs
- Retractable counterweight shaft
- Accept narrow (V-style) or wider (D-style) dovetail mounting plates
- Smooth and quiet belt driven
- Motor resolution at 0.14arc sec (or 9.216,000 steps/rev.)
- Slew speeds from 1.25x, 1.75x, 2x, 8x, 16x, 32x, 64x, 400x, 500x, 600x, and up to 3.4°/sec (800X)
- Sidereal, Solar and Lunar tracking rates
- One, Two and Three star alignment options
- Auto guider interface for astrophotography
- Guiding speed from 0.125x, 0.25x, 0.50x, 0.75x, or 1x
- Minimal vibration for steady long-exposure astrophotography
- Payload Capacity 20Kg
- Containing over 42,900 objects with complete Messier, NGC and IC Catalogues.
- Positioning accuracy up to 5 arc minute.
- Permanent Periodic error correction (PPEC)
- Firmware upgradeable via internet download
- PC Compatibility
- Car power supply adapter included
- Requires 11 to 15V DC 2A power supply (not included).

## Celestron EdgeHD 8" Cassegrain OTA (CGE)

- Experience our best optical performance with EdgeHD's aplanatic, flat field Schmidt-Cassegrain optics for pinpoint stars all the way to the edge of today's largest imaging sensors and widest eyepieces.
- Aluminum optical tube with tube vents featuring an integrated 50-mesh filter allows hot air to be released from behind the primary mirror. Mirror support knobs hold the mirror in place and reduce image shift during imaging.
- Versatile design accommodates 3 focal ratios: native f/10, f/7 with the addition of a focal reducer, or ultra-fast f/2 imaging with a removable secondary mirror and third-party accessories.
- Celestron's premium StarBright XLT coatings provide maximum light transmission.
- A 9x50 finderscope, 1.25" mirror diagonal for more comfortable viewing, and 40 mm Plössl 1.25" eyepiece are all included.

### See the Universe in HD

EdgeHD is an aplanatic, flat field Schmidt-Cassegrain telescope that produces aberration-free images across a wide visual and photographic field of view. The optical system was designed to reduce more than just off-axis star coma; it also provides an astrograph-quality flat focal plane all the way to the edge of the field of view.

### True Astrograph Quality

Many optical designs that advertise themselves as "astrographs" actually only produce pinpoint stars across a curved focal plane. While this may be acceptable for some visual observing, stars will appear out of focus at the edge when used with the flat chip sensor of a digital camera. EdgeHD optics produce a focal plane more than three-times flatter than a standard Schmidt-Cassegrain

telescope and dramatically flatter than competing coma-free designs. This guarantees you visibly sharp stars across some of the largest CCD chips available today.

### Improved Performance

Superior edge performance not only creates rounder, more pleasing stars, but actually improves the resolution and limiting magnitude when compared to telescopes of equal aperture. With Celestron's StarBright XLT optical coatings on every surface, EdgeHD optics gives you maximum light throughput across the widest visual and photographic spectrum.

### Mechanical Features

In addition to EdgeHD's optimized optical design, the telescope tube has been redesigned to make sure you get the most from your optics each and every night.

- **Mirror clutches** - Flexible tension clutches hold the mirror in place and reduce image shift when taking long exposure astro-images. Once focused, the flexible rods allow the mirror to be held in place without putting any force or pressure on the mirror assembly, keeping the image centered in the eyepiece (or on the sensor).
- **Tube vents** - Cooling vents located on the rear cell allow hot air to be released from behind the primary mirror. Each vent has an integrated 50-mesh filter guaranteed to let warm air out without letting dust in.
- **Fastar versatility** - EdgeHD is the most versatile imaging telescope available today. At its native f/10, you can achieve the image scale necessary to capture the smallest of deep sky objects. Add the optional reducer lens—custom-designed for your size EdgeHD tube—and you can increase your field of view without sacrificing optical performance. A Barlow gives you added power for high-resolution planetary, lunar and solar imaging. All EdgeHD optical tubes are Fastar-compatible, allowing the secondary mirror to be removed and replaced with a third party lens accessory for ultra-fast f/2 wide field imaging.

### Individually Tested

Every EdgeHD that ships has been tested not only for the surface quality of each optical component, but also with a camera and artificial star to ensure the imaging system meets our rigid quality assurance. This "final acceptance test" confirms the EdgeHD will perform in the field and deliver high-quality astroimages.

Specifications	OPTICAL TUBE INFO:	
	Optical Design	EdgeHD
	Aperture	203.2mm (8")
	Focal Length	2032mm (80")
	Focal Ratio	f/10
	Focal Length of Eyepiece 1	40mm (1.57")
	Magnification of Eyepiece 1	51x
	Finderscope	9x50
	Star Diagonal	1.25" Star Diagonal
	Optical Tube	Aluminum
	Highest Useful Magnification	480x
	Lowest Useful Magnification	29x
	Limiting Stellar Magnitude	14
	Resolution (Rayleigh)	0.69 arc seconds
	Resolution (Dawes)	0.57 arc seconds
	Light Gathering Power (Compared to human eye)	843x
	Secondary Mirror Obstruction	64mm (2.5")
	Secondary Mirror Obstruction by Diameter	31%
	Secondary Mirror Obstruction by Area	9.77%
	Optical Coatings	StarBright XLT
	Optical Tube Length	432mm (17")
	Optical Tube Diameter	238mm (9.37")
	Optical Tube Weight	14 lbs (6.35 kg)
	Dovetail	CGE Dovetail Bar