


Sirius Optics Unit 1 26 Darnick Street Underwood, Qld 4119 **Opening Hours**

10am-5:30pm Mon-Fri 9am-2pm Sat Phone: 07 3423 2355 www.sirius-optics.com.au

Sky-Watcher ED50 EvoGuide Guidescope V2

AUD \$499.00

Product Images



Short Description

Autoguiding has never been easier than with the Sky-Watcher EVOGuide 50ED V2 Guidescope.

- Extra-Low Dispersion (ED) Glass
- Dovetail Vixen Mini Bar
- Use as either a Finderscope, a Guidescope or an Independent Wide-Field Imaging Telescope
- Helical Focuser
- Contains T2 Thread to Fit Standard Guide Cameras
- Small & Compact
- Sky-Watcher 5-Year Warranty

Description

The **Skywatcher EVOGuide 50ED V2 Guide Scope** is a small ED refractor guidescope built for autoguiding or for use as a finderscope! It can even be used independently as a wide-field imaging telescope.

With ED Glass, you can expect lens dispersion and chromatic aberration to be kept to a minimum. And with a Helical Focuser, Collimated Rings, a Vixen Mini Bar and a T2 Thread, the EVOGuide 50mm ED V2 is incredibly versatile and fit for a number of different setups.

Difference Between Sky-Watcher EVOGuide 50ED V1 and V2

The Skywatcher EVOGuide 50ED V2 has a 45mm Dovetail Vixen Mini Bar, which allows it to be used independently as a widefield imaging telescope, mounted on a smaller equatorial mount such as the Skywatcher Star Adventurer GTi. V2 can also be used as a guidescope or a finderscope.

The 50ED V1 has a Finderscope Type Dovetail instead, which allows it to be used as either a guidescope or a finderscope, but not independently as an imaging telescope.

Features

- Extra-Low Dispersion (ED) Glass
- Dovetail Vixen Mini Bar
- Helical Focuser
- Fits Standard Guide Cameras
- Compatible with 1.25-inch Eyepieces
- Fits Standard Finderscope Bases
- Sky-Watcher 5-Year Warranty

Specifications

Optical Design	ED Refractor
Objective Lens Diameter	50mm
Focal Length	242mm
Focal Ratio	f/4.8
Mounting	45mm Vixen Dovetail Bar
Focuser Type	Helical
Warranty	Sky-Watcher 5-Year Warranty

Additional Information

Specifications N/A	
--------------------	--