



Sirius Optics
Unit 1
26 Darnick Street
Underwood, Qld 4119

Opening Hours
10am-5:30pm Mon-Fri
9am-2pm Sat

Phone: 07 3423 2355
www.sirius-optics.com.au

Swarovski STS 65 HD Straight Spotting Scope Body

AUD
\$2,345.00

Product Images



Short Description

The STS 65 is a lightweight and handy spotting scope that offers high optical quality despite its compact dimensions. Perfectly suited to long days outdoors, when every ounce/gram counts, its straight view is particularly beneficial to those who need to find moving targets quickly.

THE BEST START

Anyone looking for equipment of proven quality right from the start will be delighted by the spotting scopes in the ATS/STS range. They offer all the features that you would look for in a spotting scope, including a tried-and-tested, lightweight design and perfect optics. As some of the lightest quality spotting scopes in the world, they are characterized by detailed optics with exceptional edge-to-edge sharpness and color fidelity.

Note: Requires eyepiece.

Specifications

Technical Data

Effective objective lens diameter (mm)
65

Eye relief (mm)
17

Shortest focusing distance (ft / m)
9.8 / 3

Diopter correction at ∞ (dpt)
> 5

Objective filter thread
M 67 x 0.75

Functional temperature
-13 °F to +131 °F (-25 °C to +55 °C)

Storage temperature
-22 °F to +158 °F (-30 °C to +70 °C)

Submersion tightness
13 ft (4m) water depth (inert gas filling)

Technical data ATS/STS with eyepiece 25-50x

Magnification
25-50x

Exit pupil diameter (mm)
2.6-1.3

Field of view (ft/1000 yds / m/1000 m)
126-81 ft / 42-27 m

Field of view (degrees)
2.4-1.55

Field of view for spectacle wearers (degrees)
2.4-1.55

Field of view. apparent (degrees)
60-70

Light transmission (%) total product
85

Weight straight view (oz / g)
48.5 / 1375

Length straight view (in / mm)
14.8 / 375

Focal length with TLS APO (mm)
750-1500

Technical data ATS/STS with eyepiece 20-60x

Magnification
20-60x

Exit pupil diameter (mm)
3.3-1.1

Field of view (ft/1000 yds / m/1000 m)
108-60 / 36-20

Field of view (degrees)
2.1-1.1

Field of view for spectacle wearers (degrees)
2.1-1.1

Field of view. apparent (degrees)
40-65

Light transmission (%) total product
86

Weight straight view (oz / g)
47.3 / 1340

Length straight view (in / mm)
14.8 / 375

Focal length with TLS APO (mm)
600-1800